

Copilot App and Canvases

Shared artifacts for people and agents

The Customize area

Use the Copilot App to find approved:

- plugins;
- skills;
- MCP servers;
- canvases.

Verify the surface, policy, and data boundary before a live exercise.

Pick the smallest fit

Need	Use
Convention	Instructions
Procedure	Skill
Specialist role	Custom agent
External capability	MCP
Shared artifact	Canvas
Distributed package	Plugin

A canvas shares state

People work directly on the artifact.

The agent can read or change the same state through bounded capabilities.

Use a canvas when work needs visible progress, direct steering, or a handoff artifact.

Design the contract

State: item, status, review flag, evidence

User actions: add, update status, flag review

Agent capabilities: read board, update named item

Validation: accepted statuses, evidence before ready

Boundary: synthetic data, no external systems

Create a bounded canvas

```
/create-canvas
```

```
Create a delivery-readiness canvas for synthetic work items.  
People can add an item and update its status.  
The agent can read the board and update one named item.  
Reject unknown statuses. Require evidence before ready.  
Do not connect external systems.
```

Review before sharing

- State and artifact storage
- User actions and agent capabilities
- Data classification and approvals
- Validation and reviewer
- Owner, fallback, and removal

Lab

Create or simulate a delivery-readiness canvas. Review it with a peer before sharing it.